


RoHS Compliant


REV	ECN No.	DATE	REMARK
A0	NEW	2024.8.5	NEW RELEASE







SECTION A–A




NOTES :

1.0. RATING :
- 1.1. VOITAGE :60 VAC (R.M.S.)
- 1.2. NOMINAL CHARACTERISTIC IMPEDANCE: 50 Ohm
- 1.3. APPLICABLE FREQUENCY: DC ~ 6GHz
- 1.4. VSWR: 1.3 MAX. (DC~3GHz), 1.5 MAX. (3~6GHz)
- 1.5. TEMPERATURE :-40°C TO +85°C

2.0. ALL DIMENSIONS SHOULD BE CONTROLED IN FAI.:

3.0. MARKED ▽* SHOULD BE CONTROLLED BY QIP.:

4.0. MATERIAL SEE BILL OF MATERIAL :
- 4.1.HOUSING: THERMOPLASTIC LCP,UL94V-0.
- 4.2.CENTER CONTACT:COPPER ALLOY C5191.
- 4.3.SHELL CONTACT: COPPER ALLOY C5191.



RECOMMENDED P.C.B. LAYOUT

TOLERANCE UNSPECIFIED ±0.05mm

GENERAL TOLERANCES	
x.xxxx	± ---
x.xxx	± 0.10
x.xx	± 0.25
x.x	± 0.30
ANGULAR	± --°

深圳市跃佳电子有限公司
SHENZHEN YOJACONN ELECTRONICS CO.,LTD.


TITLE: RF座 三代 高 0.85 外壳镀金 四焊脚 黑色

DRAWN BY	XGC	2024.8.2	UNIT	MM	PART NO. RF303-J0985-TG
CHECKED BY	ZKX	2024.8.2	SIZE	A4	DWG NO. RF3-004
APPROVED BY	LLQ	2024.8.5	SCALE		PROJECTION / SHEET 1 OF 3

YOJACONN®


RoHS Compliant


REV	ECN No.	DATE	REMARK
A0	NEW	2024.8.5	NEW RELEASE





NOTES:


1. MATERIAL :
   - 1.1 EMBOSSED CARRIER: PET
   - 1.2 COVER TAPE: PET
   - 1.3 SHIPPING CARTON: CORRUGATED FIBER
2. DIMENSION :
   - 2.1 REEL: W=12.4
   - 2.2 SHIPPING CARTON: L=190, W=190, H=190
3. PEELING RESISTANCE: 10gf~130gf.











GENERAL TOLERANCES	
x.xxxx	± ---
x.xxx	± 0.10
x.xx	± 0.25
x.x	± 0.30
ANGULAR	± --°

深圳市跃佳电子有限公司
SHENZHEN YOJACONN ELECTRONICS CO.,LTD.


TITLE: RF座 三代 高 0.85 外壳镀金 四焊脚 黑色

DRAWN BY	XGC	2024.8.2	UNIT	MM	PART NO. RF303-J0985-TG
CHECKED BY	ZKX	2024.8.2	SIZE	A4	DWG NO. RF3-004
APPROVED BY	LLQ	2024.8.5	SCALE		PROJECTION / SHEET 2 OF 3

YOJACONN®

RoHS Compliant

REV	ECN No.	DATE	REMARK
A0	NEW	2024.8.5	NEW RELEASE



YOJACONN®

GENERAL TOLERANCES	
x.xxxx	± ---
x.xxx	± 0.10
x.xx	± 0.25
x.x	± 0.30
ANGULAR	± --°

深圳市跃佳电子有限公司
SHENZHEN YOJACONN ELECTRONICS CO.,LTD.

TITLE: RF座 三代 高0.85 外壳镀金 四焊脚 黑色

DRAWN BY	XGC 2024.8.2	UNIT MM	PART NO. RF303-J0985-TG
CHECKED BY	ZKX 2024.8.2	SIZE A4	DWG NO. RF3-004
APPROVED BY	LLQ 2024.8.5	SCALE	PROJECTION / SHEET 3 OF 3